

# HIV AND SRHR LINKAGES INFOGRAPHIC SNAPSHOT

## TOGO 2016




This country snapshot provides an overview of national level data for the full scope of HIV and sexual & reproductive health and rights (SRHR) linkages/integration at three levels:<sup>1</sup>

- enabling environment (policy and legal)
- health systems
- integrated service delivery

By highlighting results, areas that need strengthening, and data gaps, this snapshot can be used for determining priorities, programme planning, and resource mobilization.

▲ also p.10



**Source:** Adapted from WHO, UNFPA, UNAIDS, IPPF (2005) Sexual and reproductive health and HIV/AIDS: A framework for priority linkages. [http://srhhivlinkages.org/wp-content/uploads/2013/04/frameworkforprioritylinkages\\_2005\\_en.pdf](http://srhhivlinkages.org/wp-content/uploads/2013/04/frameworkforprioritylinkages_2005_en.pdf)

\*Maternal health is an SRH service, which is often clustered with newborn and child health services.

## Linkages versus integration<sup>2</sup>


**Linkages** refer to bi-directional synergies in policy, systems, and services between SRH and HIV. It refers to a broader human rights-based approach, of which service integration is a subset.

**Integration** refers to the service delivery level and can be understood as joining operational programmes to ensure effective outcomes through many modalities (multi-tasked providers, referral, one-stop shop services under one roof, etc.).

Upholding human rights is intrinsic to the linkages agenda, in particular the human rights of people living with HIV, key populations, and women and girls.<sup>3</sup>


Linking HIV and SRHR responses is critical for reaching human rights, gender equality, and health targets for the sustainable development goals.

### Theory of change for SRHR and HIV linkages



Source: Adapted from IPPF, UNFPA, WHO (2014) SRH and HIV Linkages Compendium: Indicators and Related Assessment Tools. Available at: <http://bit.ly/1KVaET1>

\* It is recognized that reducing stigma and discrimination and gender-based violence are also impact level measures and the outcome measures influence each other.



To find indicators and tools to measure progress

Visit <http://bit.ly/1KVaET1>



To find out more about linkages/integration

Visit <http://srhhivlinkages.org> - a collection of SRHR and HIV linkages resources.

# Key HIV and SRHR intersections: Togo data<sup>3a</sup>

The intrinsic connections between HIV and SRHR are well-established, especially as HIV is predominantly sexually transmitted or associated with pregnancy, childbirth and breastfeeding.<sup>4</sup>




Where data is not available this is marked with  or 

Population size 7.1 million<sup>4a</sup> Life expectancy at birth 56<sup>4b</sup> Fertility rate 4.6<sup>4c</sup>

HIV is a leading cause of death in women of reproductive age (globally)<sup>5</sup>


New adult HIV infections<sup>6</sup>




HIV prevalence (ages 15-49)<sup>8</sup>




People living with HIV receiving ART<sup>10</sup>




AIDS-related deaths among adults (ages 15+)<sup>7</sup>



People living with HIV<sup>9</sup>



HIV testing in the general population<sup>11</sup>



HIV-associated maternal death contributes to maternal mortality<sup>12</sup>

Maternal mortality ratio<sup>13</sup>



Maternal deaths attributed to HIV<sup>14</sup>



Gender-based violence is a cause and consequence of HIV<sup>15</sup>  
▲ also p.5 & 7

Prevalence of recent intimate partner violence<sup>16</sup>



HIV transmission to infants can occur during pregnancy, childbirth, and breastfeeding. This is more likely where there is acute maternal HIV infection.<sup>17</sup>

▲ also p.5

Mother-to-child HIV transmission rate (after breastfeeding)<sup>18</sup>



Pregnant women who know their HIV status<sup>19</sup>



Demand for family planning satisfied with a modern method of contraception (15-49)<sup>20</sup>



Certain sexually transmitted infections (STIs) significantly increase the risk of acquiring and transmitting HIV<sup>22</sup>  
▲ also p.7

Male and female condoms provide triple protection from unintended pregnancies, HIV, and other STIs

Demand for family planning satisfied with a modern method of contraception for women living with HIV (15-49)<sup>21</sup>

Number of adults reported with syphilis<sup>23</sup>




Condom use at last sex<sup>24</sup>



# Enabling environment (policy and legal)

SRHR and HIV strategies and policies should be interconnected to increase service provision and uptake. Effective responses also must go beyond health services to address human rights and development.

## Support to SRHR and HIV linkages:



## Strategies and policies

### Is there a national HIV strategy?<sup>25</sup>



If yes, have the following SRHR components been included as a measurable target:<sup>25a</sup>

Condoms (with reference to STI prevention / contraceptive method)?	Mentioned
Prevention / elimination of mother-to-child transmission of HIV?	Yes
SRHR of people living with HIV?	Yes
Sexually transmitted infections?	Yes
Gender based violence?	Yes

### Is there a national SRHR strategy?<sup>26</sup>



If yes, have the following HIV components been included as a measurable target:<sup>26a</sup>

Condoms (with reference to HIV prevention)?	Mentioned
Prevention / elimination of mother to child transmission of HIV?	Yes
SRHR of people living with HIV?	No
Sexually transmitted infections?	Yes
HIV counselling and testing?	Yes

### Is there a national SRHR and HIV integration policy or strategy?<sup>27</sup>



## Laws

▲ also p.5

### People living with HIV

Are there laws that:<sup>27a</sup>

criminalise HIV transmission or exposure? <sup>28</sup>	Yes	<span style="color:red">●</span> 28a
impose HIV specific restrictions on entry, stay or residence? <sup>29</sup>	No	<span style="color:green">●</span> 29a
address HIV-related discrimination and protect people living with HIV? <sup>30</sup>	Yes	<span style="color:green">●</span> 30a

### Key populations

Are there laws that:<sup>30b</sup>

criminalise same-sex sexual activities? <sup>31</sup>	Yes	<span style="color:red">●</span> 31a
deem sex work as illegal? <sup>32</sup>	Yes	<span style="color:red">●</span> 32a
mandate the death penalty for drug offences? <sup>33</sup>	No	<span style="color:green">●</span> 33a
demand compulsory detention for people who use drugs? <sup>34</sup>	No	<span style="color:green">●</span> 34a
recognise a third, neutral and non-specific gender besides male and female? <sup>35</sup>	No	<span style="color:red">●</span> 35a

▲ also p.9

### Gender-based violence

Are there laws that:

address gender-based violence? <sup>36</sup>	No	<span style="color:red">●</span> 36a
penalise rape in marriage? <sup>37</sup>	<span style="border: 1px solid black; padding: 2px;">DATA NOT AVAILABLE</span>	37a
allow free entry into marriage and divorce? <sup>38</sup>	<span style="border: 1px solid black; padding: 2px;">DATA NOT AVAILABLE</span>	38a
allow the removal of violent spouses? <sup>39</sup>	<span style="border: 1px solid black; padding: 2px;">DATA NOT AVAILABLE</span>	39a

▲ also p.7

### Other laws

▲ also p.8

Are there laws that:

make sexuality education mandatory? <sup>60</sup>	<span style="border: 1px solid black; padding: 2px;">DATA NOT AVAILABLE</span>
allow legal abortion? <sup>61</sup>	Yes: to save a woman's life; to preserve a woman's physical health; in case of rape or incest; because of foetal impairment
prohibit female genital mutilation? <sup>62</sup>	No

### Age of Consent

▲ also p.5 & 8



What is the minimum legal age for marriage without parental consent?<sup>43</sup>

● 17 years  
● 20 years



What is the legal age for HIV testing without parental consent?<sup>44</sup>

Age of minor not defined



What is the legal age for accessing contraceptives?<sup>45</sup>



What is the legal age for consent to sexual intercourse?<sup>46</sup>

● 16 years  
● 16 years

### Stigma faced by people living with HIV

People living with HIV often face stigma and discrimination. A non-supportive environment can drive people living with HIV away from SRHR and HIV prevention, treatment, care and support services, hindering the AIDS response.

**Percentage of general population reporting discriminatory attitudes to HIV<sup>47</sup>**



**Has the Stigma Index been conducted?<sup>48</sup>**

**NO<sup>49</sup>**



### Key findings from the Stigma Index

Denied sexual and reproductive health (SRH) services	DATA NOT AVAILABLE
Denied family planning services	DATA NOT AVAILABLE
Experienced forced or coerced sterilization by healthcare provider on the basis of HIV	DATA NOT AVAILABLE
Ever counselled about reproductive options since being diagnosed HIV-positive	DATA NOT AVAILABLE
Could access ART (among people yet to commence)	DATA NOT AVAILABLE
Had a constructive discussion on HIV treatment options	DATA NOT AVAILABLE
Reported experience of stigma and discrimination that hinder access to HIV and SRH services	DATA NOT AVAILABLE
Sought redress if rights violated	DATA NOT AVAILABLE



### Women's empowerment

Achieving gender equality and empowering women (Sustainable Development Goal 5) is essential in its own right and also affects health status. It is a broad agenda that includes: ending stigma and discrimination, violence, and harmful practices; ensuring autonomy in health decisions; and accessing SRHR and equal rights to economic resources.<sup>50</sup>


**Ability to participate in decisions regarding their own health<sup>50a</sup>**



**Women who believe wife is justified in refusing sex with husband<sup>50b</sup>**



### Gender-based violence



Intimate partner violence has been shown to increase the risk of HIV infection by around 50%. Violence, and the fear of violence, may deter women and girls from seeking HIV testing, disclosing HIV-positive status, and seeking other services for their HIV and SRHR needs.<sup>51</sup> Visit <http://bit.ly/1PIpTip>

**Prevalence of recent intimate partner violence<sup>52</sup>**




12.8%

Gender-based violence is a cause and consequence of HIV

**Girls married before 18<sup>53</sup>**



**Women who agree husband is justified in hitting or beating his wife:**



**Intimate partner violence prevention programmes<sup>54</sup>**

- In-school education on preventing dating violence
- Microfinance and gender equity training
- Changing social and cultural norms that support violence

### Children and Social Protection


Orphanhood is frequently accompanied by prejudice and increased poverty, factors that can jeopardize children's chances of completing school education and may lead to increased vulnerability to HIV and poor SRHR outcomes. As such, economic support (with a focus on social assistance and livelihoods assistance) to poor and HIV-affected households remains a high priority in many comprehensive care and support programmes.<sup>55</sup>

**Children whose households received external support<sup>56</sup>**



AIDS deaths in adults occur just at the time in their lives when they are forming families and bringing up children.

**Ratio of school attendance of orphans to non-orphans (aged 10–14 years)<sup>57</sup>**



**Children who have lost one or both parents due to AIDS<sup>58</sup>**

54,000



# Health systems

Integrating SRHR and HIV services requires addressing components of health systems.

These include coordination, joint partnerships, planning and budgeting, human

resources, procurement and supply chain management, and monitoring and evaluation.

## Human resources

Doctors per 1,000<sup>59</sup>



Nurses and midwives per 1,000<sup>60</sup>



Community and traditional health workers per 1,000<sup>61</sup>



### Training and supervision

Are there SRHR training materials and curricular that include HIV?<sup>62</sup>

DATA NOT AVAILABLE

Are there HIV training materials and curricula that include SRHR?<sup>63</sup>

DATA NOT AVAILABLE

To what extent is supportive supervision for SRHR and HIV integrated at the health service-delivery level?<sup>64</sup>

DATA NOT AVAILABLE

Is there a tool for integrated supervision available?<sup>65</sup>

DATA NOT AVAILABLE

## Logistics and supplies

### HIV and SRHR commodities

Are there integrated supply systems?<sup>66</sup>

DATA NOT AVAILABLE

Are there integrated ordering systems?<sup>67</sup>

DATA NOT AVAILABLE

Are there integrated monitoring systems?<sup>68</sup>

DATA NOT AVAILABLE

### Commodity stockouts



Contraceptives<sup>69</sup>

70.5%



Antiretrovirals for HIV<sup>70</sup>

19.4%



STI drugs<sup>71</sup>

DATA NOT AVAILABLE


## Coordination, planning and budgeting

Is there joint planning of HIV and SRHR programmes?<sup>72</sup> Yes

Is there any collaboration between SRHR and HIV for programme management/implementation?<sup>73</sup> Yes

## Health information systems<sup>74</sup>

### Health system statistical capacity



National surveys




Facility-based data collection

## SRHR and HIV service coverage

HIV testing and counselling facilities per 100,000 adult population<sup>75</sup>



Primary level service delivery points offering at least three modern methods of contraception<sup>76</sup>



## Rapid Assessment of SRH and HIV linkages<sup>77</sup>

Has the Rapid Assessment for Sexual and Reproductive Health and HIV Linkages been conducted?<sup>78</sup>



A rapid assessment of SRH and HIV linkages is a useful tool for countries to assess existing bi-directional linkages at the policy, systems and service-delivery levels.



# Integrated service delivery

Providing integrated services enables clients to receive as many quality services as possible at the same time and in the same place, especially at the primary healthcare level. This can happen through government, civil society, and private providers.

## Integrated service provision

Health facilities provide HIV services integrated with other health services

HIV counselling and testing with SRH<sup>79</sup>



Many

EMTCT with antenatal care/maternal and child health<sup>80</sup>



Many

## Elimination of mother-to-child transmission of HIV (EMTCT)

Eliminating new HIV infections among children and keeping their mothers alive is based on a four-pronged strategy.<sup>81</sup>

Women living with HIV delivering<sup>82</sup>



5,100



New child HIV infections<sup>83</sup>



<1000



Pregnant women attending an antenatal care clinic

at least once<sup>84</sup>

at least 4 times<sup>85</sup>




72%

55%



whose sexual partners were tested for HIV in the last 12 months<sup>86</sup>



(DATA NOT AVAILABLE)

### Indicators for elimination of mother-to-child transmission of HIV

Prong 1: new HIV infections among women 15-49<sup>87</sup> 2,000

Prong 2: unmet need for family planning for women of reproductive age<sup>88</sup> 35.6%

Prong 3: final mother-to-child HIV transmission rate<sup>89</sup> 14.2%

Prong 3: women receiving antiretrovirals (ARVs – excluding single dose nevirapine) to prevent new infections among children<sup>90</sup> 87.4%

Prong 3: women or infants receiving ARVs during breastfeeding<sup>91</sup> 87%

Prong 4: ART coverage among children under 15 years<sup>92</sup> 24%

Demand for family planning satisfied with a modern method of contraception for women living with HIV (15-49)<sup>95</sup>



(DATA NOT AVAILABLE)

Pregnant women who know their HIV status<sup>93</sup>




73%

Skilled attendant at birth<sup>94</sup>




59%



Urban 91% Rural 43%

## Dual elimination of mother-to-child transmission of HIV and syphilis

In 2007 WHO launched an initiative for the global elimination of congenital syphilis, outlined in the global elimination of congenital syphilis: rationale and strategy for action.<sup>96</sup> Initiatives are now ongoing for dual elimination of mother-to-child transmission of HIV and syphilis as an integrated process, including data validation.<sup>97</sup>



### Elimination of mother-to-child transmission of syphilis

Congenital syphilis rate (per 100,000 live births)<sup>98</sup>

(DATA NOT AVAILABLE)

Antenatal care attendees tested for syphilis at first antenatal care visit<sup>99</sup> 15%

Antenatal care attendees who test positive for syphilis<sup>100</sup> 1.2%

Antenatal care attendees positive for syphilis who are treated appropriately<sup>101</sup>

(DATA NOT AVAILABLE)

<http://bit.ly/1jCx7sf>

# Focus on adolescents and youth

Young people need access to a range of SRHR and HIV information and services on a broad range of topics related to their physical, social, emotional, and sexual development.


Young people, including those living with HIV and from key populations, need access to comprehensive services and a supportive legal framework.

## Sexual behaviour


Median age at first sex among young people aged 20-24<sup>102</sup>



Adolescents aged 15-19 who had:



Unmet need for family planning, among young women aged 15-19<sup>106</sup>




Young women aged 15-19 who have ever had a child<sup>107</sup>



Recent births to mothers under 20 that were unplanned<sup>108</sup>



Young women aged 15-19 able to participate in decisions about their healthcare<sup>108a</sup>



## Youth unemployment<sup>109</sup>

10.7%



## HIV


Estimated number of adolescents living with HIV aged 10-19<sup>110</sup>



Young people living with HIV aged 15-24<sup>111</sup>



Adolescents aged 15-19 who were ever tested for HIV and received the results<sup>112</sup>



<500



New HIV infections among adolescents aged 15-19<sup>113</sup>

<500



AIDS deaths among adolescents aged 10-19<sup>114</sup>

## Knowledge and comprehensive sexuality education

▲ also p.4

Young people aged 15-19 who have heard of family planning on any of the three sources (radio, TV or newspapers)<sup>115</sup>



Adolescents aged 15-19 who have comprehensive knowledge of HIV<sup>116</sup>



Schools that provided skills-based HIV and sexuality education in the previous academic year<sup>117</sup>





# Focus on key populations

Key populations, including men who have sex with men, people who use drugs, sex workers

and transgender people typically have higher HIV prevalence than the general population.

The criminalization of key populations drives people away from health services, increasing

vulnerability to negative SRHR and HIV outcomes, as well as to stigma, discrimination, and violence.

Key populations are often not reached with health services, including for SRHR and HIV, and frequently experience violation of their human rights.

▲ also p.4



Men who have sex with men



People who inject drugs



Sex workers



Transgender people



Population size estimate

7,800<sup>118</sup>

2,289<sup>119</sup>

10,284<sup>120</sup>



HIV prevalence

13.1%<sup>122</sup>

5.5%<sup>123</sup>

11.1%<sup>124</sup>



HIV testing

54.5%<sup>126</sup>

21.6%<sup>127</sup>

57.7%<sup>128</sup>



Condom use

47.0%<sup>130</sup>

36.8%<sup>131</sup>

91.2%<sup>132</sup>




## Useful programme implementation tools\* and guidelines



World Health Organization (2013) *Implementing comprehensive HIV/STI programmes with sex workers: practical approaches from collaborative interventions.*

<http://bit.ly/1ISZWVz>



World Health Organization (2014) *Consolidated guidelines on HIV prevention, diagnosis, treatment and care for key populations.*

<http://bit.ly/1rhtlqZ>



UNFPA et al. (2015) *Implementing comprehensive HIV and STI programmes with men who have sex with men.*

<http://bit.ly/1LWYfQ6>

\*Similar implementation tools for HIV/STI programming with other key populations are currently under development.

## Additional regional and national data

This infographic snapshot builds on an overarching framework defining HIV and SRHR linkages/integration and provides related national data. Specific aspects of HIV and SRHR linkages/integration vary by region and country due to different types of HIV epidemics and structural drivers of HIV and SRHR. Therefore, a differentiated approach to investment and programming is required.



### The suggested way forward

1. **Disseminate the snapshot broadly** to key decision-makers in the government (e.g. Ministry of Health and National AIDS Commission), programme managers, donors, UN agencies, civil society organisations and community-based organisations, and use for advocacy at key events.
2. **Review the data** presented in the snapshot with key HIV and SRHR stakeholders to identify and discuss areas where further work is particularly needed.
3. **Convene a technical working group** with HIV and SRHR stakeholders to jointly plan, coordinate activities and monitor progress on HIV and SRHR linkages/integration.
4. **Work with the Ministries of Justice, Education and Health, and other appropriate sectors** to eliminate human rights violations, such as gender-based violence, early and forced marriage and stigma and discrimination.
5. **Use the snapshot** when developing and evaluating strategies, operational plans and funding proposals.
6. **Collaborate with relevant data collection entities** to fill gaps where data are not available.

## Endnotes

1. GNP+, ICW, IPPF, UNAIDS, UNFPA, WHO and Young Positives (2009). Rapid Assessment Tool for Sexual and Reproductive Health and HIV Linkages: a generic guide. <http://srhhivlinkages.org/rapidassessment-tool/>
2. WHO, UNAIDS, UNFPA, IPPF (2008). Gateways to integration: a case study series. <http://www.srhhivlinkages.org>
3. UNAIDS (2010) 26th Meeting of UNAIDS Programme Coordinating Board, Background Paper: Sexual and Reproductive Health (SRH) services with HIV interventions in practice, paragraph 4 (page 5). [http://srhhivlinkages.org/wp-content/uploads/2013/04/26thpcbthematicbackground\\_2010\\_en.pdf](http://srhhivlinkages.org/wp-content/uploads/2013/04/26thpcbthematicbackground_2010_en.pdf)
- 3a. Data used in the HIV and SRHR Linkages Infographic Snapshot is the most recent data available.
4. UNFPA, WHO, IPPF (2012). Connecting sexual and reproductive health and HIV: Navigating the work in progress. [http://www.srhhivlinkages.org/wp-content/uploads/IAWG\\_SRHHIVlinkages\\_summary1.pdf](http://www.srhhivlinkages.org/wp-content/uploads/IAWG_SRHHIVlinkages_summary1.pdf)
- 4a. 2014. World Bank. <http://data.worldbank.org/indicator/>
- 4b. 2014. World Bank. <http://data.worldbank.org/indicator/>
- 4c. 2014. World Bank. <http://data.worldbank.org/indicator/>
5. Women of reproductive age is women aged 15–49. <http://www.who.int/mediacentre/factsheets/fs310/en/>. Lozano R, Naghavi M, Foreman K, et al. (2012) Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. *The Lancet*, 380(9859):2095-128.
6. 2014. UNAIDS HIV Estimates
7. 2014. UNAIDS HIV Estimates
8. 2014. UNAIDS HIV Estimates
9. 2014. UNAIDS HIV Estimates
10. 2014. UNAIDS HIV Estimates
11. 2014. UNAIDS GARPR
12. Lozano R, Naghavi M, Foreman K, et al. (2012). Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. *The Lancet*, 380(9859):2095-128.; AU (2012) Status Report on Maternal, Newborn, and Child Health. (African Union); WHO UNICEF, UNFPA, WB (2012) Trends in Maternal Mortality 1990-2010 (Geneva, WHO).
13. 2014. Trends in Maternal Mortality: 1990 to 2015. Estimates by WHO, UNICEF, UNFPA, World Bank Group and the United Nations Population Division. <http://www.who.int/reproductivehealth/publications/monitoring/maternal-mortality-2015/en/>
14. 2014. Trends in Maternal Mortality: 1990 to 2015. Estimates by WHO, UNICEF, UNFPA, World Bank Group and the United Nations Population Division. <http://www.who.int/reproductivehealth/publications/monitoring/maternal-mortality-2015/en/>
15. UN Commission on Status of Women (2013). Agreed conclusions on the elimination and prevention of all forms of violence against women and girls. New York, UN CSW.
16. 2014. Proportion of ever-married or partnered women aged 15-49 who experienced physical or sexual violence from a male intimate partner in the past 12 months. UNAIDS GARPR
17. <http://www.aidsinfo.nih.gov/guidelines/html/3/perinatalguidelines/162>.
18. 2014. UNAIDS 2014 estimates
19. 2014. WHO Universal Access Indicator 3.4
20. 2014. United Nations, Department of Economic and Social Affairs, Population Division (2014). Model-based Estimates and Projections of Family Planning Indicators 2014. New York: United Nations. [http://www.un.org/en/development/desa/population/publications/dataset/contraception/data/Table\\_Model-based\\_estimates\\_Countries\\_Run20140520.xls](http://www.un.org/en/development/desa/population/publications/dataset/contraception/data/Table_Model-based_estimates_Countries_Run20140520.xls)
21. Indicator: Percentage of total demand for family planning among married or in-union women living with HIV aged 15 to 49 that is satisfied with modern methods (modern contraceptive prevalence divided by total demand for family planning)
22. WHO (2007). Global Strategy for the Prevention and control of sexually transmitted infections 2006-2015, Breaking the Chain of Transmission. Geneva, WHO.
23. Indicator: Number of adults reported with syphilis in the past 12 months. WHO Universal Access Indicator 1.17.6
24. 2014. UNAIDS GARPR
25. 2016-2020 . Togo National HIV Strategic Plan, 2016-2020
- 25a. 2015. IPPF and UNFPA coding (2015)
26. 2012-2015. Ministère de la santé (Février 2012). Plan National De Développement Sanitaire Du Togo: 2012-2015. [http://www.internationalhealthpartnership.net/fileadmin/uploads/ihp/Documents/Country\\_Pages/Togo/PNDS\\_TOGO.PDF](http://www.internationalhealthpartnership.net/fileadmin/uploads/ihp/Documents/Country_Pages/Togo/PNDS_TOGO.PDF).
- 26a. 2015. IPPF and UNFPA coding (2015)
27. There is no current national SRH and HIV integration policy or strategy
28. 2014. GNP+ Global Criminalisation Scan: <http://criminalisation.gnpplus.net/alphabetical>
- 28a. Global Commission on HIV and the Law (2012). Risks, Rights and Health. Final Report July 2012, at p9 and p25. <http://www.hivlawcommission.org/index.php/report>; Ending overly broad criminalization of HIV non-disclosure, exposure and transmission: Critical scientific, medical and legal considerations. Guidance Note. [http://www.unaids.org/sites/default/files/media\\_asset/20130530\\_Guidance\\_Ending\\_Criminalisation\\_0.pdf](http://www.unaids.org/sites/default/files/media_asset/20130530_Guidance_Ending_Criminalisation_0.pdf)
29. 2014. Quick Reference Guide Entry and residence regulations for people living with HIV (2013-2013), Deutsche AIDS-Hilfe. [http://www.hivtravel.org/Web/WebContentEATG/File/Quick%20Ref/2012\\_2013\\_DAH\\_Quick\\_Reference\\_Guide\\_EN.pdf](http://www.hivtravel.org/Web/WebContentEATG/File/Quick%20Ref/2012_2013_DAH_Quick_Reference_Guide_EN.pdf)
- 29a. Global Commission on HIV and the Law (2012). Risks, Rights and Health. Final Report July 2012, at p10 and p61. <http://www.hivlawcommission.org/index.php/report>
30. 2014. GNP+ Global Criminalisation Scan: <http://criminalisation.gnpplus.net/alphabetical>
- 30a. Global Commission on HIV and the Law (2012). Risks, Rights and Health. Final Report July 2012, at p9 and p50. <http://www.hivlawcommission.org/index.php/report>; *The Lancet* (2012). HIV in Men Who Have Sex with Men. <http://www.thelancet.com/series/hivin-men-who-have-sex-with-men>
31. 2014. Source: The Lesbian, Gay and Bisexual Map of World Laws, ILGA – available from [http://old.ilga.org/Statehomophobia/ILGA\\_WorldMap\\_2015\\_ENG.pdf](http://old.ilga.org/Statehomophobia/ILGA_WorldMap_2015_ENG.pdf)
- 31a. Global Commission on HIV and the Law (2012). Risks, Rights and Health. Final Report July 2012, at p9 and p50. <http://www.hivlawcommission.org/index.php/report>; *The Lancet* (2012). HIV in Men Who Have Sex with Men. <http://www.thelancet.com/series/hivin-men-who-have-sex-with-men>
32. 2014. UNAIDS GARPR
- 32a. Global Commission on HIV and the Law (2012). Risks, Rights and Health. Final Report July 2012, at p9 and p43. <http://www.hivlawcommission.org/index.php/report>; UNAIDS (2012). UNAIDS Guidance Note on HIV and Sex Work. 2012 Update. [http://www.unaids.org/sites/default/files/media\\_asset/JC2306\\_UNAIDS-guidance-note-HIV-sex-work\\_en\\_0.pdf](http://www.unaids.org/sites/default/files/media_asset/JC2306_UNAIDS-guidance-note-HIV-sex-work_en_0.pdf); *The Lancet* (2014). HIV and sex workers. <http://www.thelancet.com/series/hiv-and-sex-workers>
33. 2014. The Death Penalty for Drug Offences: Global Overview 2015, International Harm Reduction Association [http://www.ihra.net/files/2015/10/07/DeathPenaltyDrugs\\_Report\\_2015.pdf](http://www.ihra.net/files/2015/10/07/DeathPenaltyDrugs_Report_2015.pdf)
- 33a. 6(2); ECOSOC (25 May 1984) Implementation of the safeguards guaranteeing protection of the rights of those facing the death penalty, Resolution 1984/50; United Nations Information Centre. INCB encourages States to consider the abolition of the death penalty for drug-related offences, 5 March 2014. [http://www.incb.org/documents/Publications/PressRelease/PR2014/press\\_release\\_050314.pdf](http://www.incb.org/documents/Publications/PressRelease/PR2014/press_release_050314.pdf)
34. 2014. UNAIDS GARPR
- 34a. Global Commission on HIV and the Law (2012). Risks, Rights and Health. Final Report July 2012, at p10 and p35. <http://www.hivlawcommission.org/index.php/report>; United Nations. 2012. Joint statement on compulsory drug detention and rehabilitation centres. [http://www.unaids.org/sites/default/files/en/media/unaids/contentassets/documents/document/2012/JC2310\\_Joint%20Statement6March12FINAL\\_en.pdf](http://www.unaids.org/sites/default/files/en/media/unaids/contentassets/documents/document/2012/JC2310_Joint%20Statement6March12FINAL_en.pdf)

35. 2014. 2014. Identities.Mic. 7 Countries Giving Transgender People Fundamental Rights the U.S. Still Won't. <http://mic.com/articles/87149/7-countries-giving-transgender-people-fundamentalrights-the-u-s-still-won-t> Accessed June 2015
- 35a. Global Commission on HIV and the Law (2012). Risks, Rights and Health. Final Report July 2012, at p10, p50 and p54. <http://www.hivlawcommission.org/index.php/report>
36. 2011. The law protecting people living with HIV was modified in 2010 to incorporate a gender-based and human rights approach, and anti retroviral drugs were free for sufferers. Committee on the Elimination of Discrimination against Women considers report of Togo. 4 October 2012. <http://www.ohchr.org/EN/NewsEvents/Pages/DisplayNews.aspx?NewsID=12623&LangID=E>
- 36a. Convention on the Elimination of Discrimination against Women. General Recommendation No. 19 (11th session, 1992). Violence against women, paras 1, 7 and 24(b). <http://bit.ly/2dGkvxS>
37. Indicator: Are there Laws Against Rape in Marriage? WHO (2014). Global Status Report on Violence Prevention. <http://bit.ly/2db3xqs>
- 37a. Global Commission on HIV and the Law (2012). Risks, Rights and Health. Final Report July 2012, at p9 and p69. <http://www.hivlawcommission.org/index.php/report>
38. Indicator: Are there laws that allow free entry into marriage and divorce? WHO (2014). Global Status Report on Violence Prevention. <http://bit.ly/2db3xqs>
- 38a. Convention on the Elimination of Discrimination against Women. General Recommendation No. 21 (13th session, 1994). Equality in marriage and family relations. <http://bit.ly/2dGkvxS>
39. Indicator: Are there laws that allow the removal of violent spouses? WHO (2014). Global Status Report on Violence Prevention. <http://bit.ly/2db3xqs>
- 39a. Convention on the Elimination of Discrimination against Women. General Recommendation No. 19 (11th session, 1992) Violence against women, paras 23 and 24(b). <http://bit.ly/2dGkvxS>
40. Indicator: Is there a law or policy mandating the government (or its regulatory bodies) to implement sexuality education?
41. 2014. United Nations, World Population Policies Database. [http://esa.un.org/poppolicy/about\\_database.aspx](http://esa.un.org/poppolicy/about_database.aspx)
42. 2007. 1. Girls Discovered 2. Center for Reproductive Rights (2008). Dashboard on Youth Sexual & Reproductive Health: Asia & Middle East <http://www.advancingpartners.org/resources/dashboards-youth>
43. 2012. United Nations Statistics Division. Gender Statistics. Qualitative Indicators related to national norms. 11. Legal minimum age at marriage, by sex. <http://unstats.un.org/unsd/gender/Data/Qualitative%20Indicators.html>
44. 2013. World Health Organization (2013). HIV and adolescents: guidance for HIV testing and counselling and care for adolescents living with HIV. Annex 15: Adolescent consent to testing: a review of current policies and issues in sub-Saharan Africa. [http://apps.who.int/iris/bitstream/10665/95147/1/WHO\\_HIV\\_2013.141\\_eng.pdf](http://apps.who.int/iris/bitstream/10665/95147/1/WHO_HIV_2013.141_eng.pdf)
45. Indicator: Legal age for accessing contraceptives.
46. 2013. World Health Organization (2013). HIV and adolescents: guidance for HIV testing and counselling and care for adolescents living with HIV. Annex 15: Adolescent consent to testing: a review of current policies and issues in sub-Saharan Africa. [http://apps.who.int/iris/bitstream/10665/95147/1/WHO\\_HIV\\_2013.141\\_eng.pdf](http://apps.who.int/iris/bitstream/10665/95147/1/WHO_HIV_2013.141_eng.pdf)
47. 2014. Indicator: Percentage of women and men aged 15–49 who report discriminatory attitudes towards people living with HIV. UNAIDS GARPR
48. People Living with HIV Stigma Index. IPPF, GNP+, ICW, UNAIDS, 2008. <http://www.stigmaindex.org/>
49. Togo has not undertaken the People Living with HIV Stigma Index.
50. UN (2015) Sustainable Development Goals. <https://sustainabledevelopment.un.org/?menu=1300>
- 50a. 2013-2014. MPDAT, MS, et ICF International, 2015. Enquête Démographique et de Santé au Togo 2013-2014. <http://bit.ly/2dXv5U6>
- 50b. 2013-2014. MPDAT, MS, et ICF International, 2015. Enquête Démographique et de Santé au Togo 2013-2014. <http://bit.ly/2dXv5U6>
51. WHO and UNAIDS (2013) 16 ideas for addressing violence against women in the context of HIV epidemic: a programming tool. [http://apps.who.int/iris/bitstream/10665/95156/1/9789241506533\\_eng.pdf](http://apps.who.int/iris/bitstream/10665/95156/1/9789241506533_eng.pdf)
52. 2014. UNAIDS GARPR
53. 2002-2011. UNICEF State of the World's Children, 2013. Table 9 Child protection. <http://www.unicef.org/sowc2013/statistics.html>
- 53a. 2013-2014. "The percentage of women age 15-49 who agree that a husband is justified in hitting or beating his wife if she refuses to have sexual intercourse with him" Ministère de la Planification, du Développement et de l'Aménagement du Territoire (MPDAT), Ministère de la Santé (MS) et ICF International, 2015. Enquête Démographique et de Santé au Togo 2013-2014. <http://bit.ly/2dXv5U6>
- 53b. 2013-2014. "The percentage of women age 15-49 who agree that a husband is justified in hitting or beating his wife for one specified reason: if she burns the food, if she argues with him, if she goes out without telling him, if she neglects the children, and if she refuses to have sexual intercourse with him." Ministère de la Planification, du Développement et de l'Aménagement du Territoire (MPDAT), Ministère de la Santé (MS) et ICF International, 2015. Enquête Démographique et de Santé au Togo 2013-2014. <http://bit.ly/2dXv5U6>
54. Indicator: Dating violence prevention programmes in schools. WHO (2014). Global Status Report on Violence Prevention. [http://www.who.int/violence\\_injury\\_prevention/violence/status\\_report/2014/en/](http://www.who.int/violence_injury_prevention/violence/status_report/2014/en/)
55. UNAIDS (2014). Global AIDS response progress reporting 2014: construction of core indicators for monitoring the 2011 UN political declaration on HIV/AIDS.
56. 2010-2014. Based on DHS, MICS and other national surveys. Available from <http://www.childrenandaids.org/>
57. 2010-2014. Based on DHS, MICS and other national surveys. Available from <http://www.childrenandaids.org/>
58. 2014. UNAIDS 2014 estimates
59. 2008. WHO Global Health Observatory Data Repository. Density per 1000 Data by country <http://apps.who.int/gho/data/node.main.A1444>
60. 2008. WHO Global Health Observatory Data Repository. Density per 1000 Data by country <http://apps.who.int/gho/data/node.main.A1444>
61. 2004. WHO Global Health Observatory Data Repository. Density per 1000 Data by country <http://apps.who.int/gho/data/node.main.A1444>
62. Indicator: Are there any SRH training materials and curricula on SRH which include HIV prevention, treatment and care?
63. Indicator: Are there any HIV training materials and curricula which include SRH?
64. Indicator: To what extent is supportive supervision for SRH and HIV integrated at the health service-delivery level?
65. Indicator: Is there a tool for integrated supervision available?
66. Indicator: Are there integrated supply systems?
67. Indicator: Are there integrated ordering systems
68. Indicator: Are there integrated monitoring systems?
69. UNFPA Global Programme to Enhance Reproductive Health Commodity Security Target: Annual report 2014
70. Percentage of health facilities dispensing ARVs that experienced a stock-out of at least one required ARV in the last 12 months. World Health Organisation
71. Indicator: Proportion of primary healthcare public sector facilities that reported having any one of five drugs considered essential for STI management out of stock during the month of the survey (metronidazole, ciprofloxacin, erythromycin, doxycycline, benzathine-penicillin)
72. 2016. SRH participate in HIV planning and vice versa and also in Program review. In EMTCT the planning is done together. Communication with Togo UNFPA country office, 19 July 2016.
73. 2016. SRH participate in HIV planning and vice versa and also in Program review. In EMTCT the planning is done together. Communication with Togo UNFPA country office, 19 July 2016.
74. 2014. World Bank, WDI. Statistical Capacity Index <http://databank.worldbank.org/data/reports.aspx?source=Statistical-capacity-indicators#>
75. 2014. WHO Global Health Observatory Data Repository. Testing and counselling facilities Data by country <http://apps.who.int/gho/data/node.main.625TC?lang=en>
76. 2014. UNFPA Global Programme to Enhance Reproductive Health Commodity Security Target: Annual report 2014
77. GNP+, ICW, IPPF, UNAIDS, UNFPA, WHO and Young Positives (2009). Rapid Assessment Tool for Sexual and Reproductive Health and HIV Linkages: a generic guide. <http://srhhivlinkages.org/rapidassessment-tool/>
78. 2011. <http://srhhivlinkages.org/rapid-assessment-tool/>
79. 2014. UNAIDS GARPR
80. 2013. UNAIDS GARPR

81. UNAIDS (2011). Countdown to zero. Global plan for the elimination of new HIV infections among children by 2015 and keeping their mothers alive. [http://www.unaids.org/en/media/unaids/contentassets/documents/unaidspublication/2011/20110609\\_JC2137\\_Global-Plan-Elimination-HIV-Children\\_en.pdf](http://www.unaids.org/en/media/unaids/contentassets/documents/unaidspublication/2011/20110609_JC2137_Global-Plan-Elimination-HIV-Children_en.pdf)
82. 2014. UNAIDS 2014 estimates
83. 2014. UNAIDS 2014 estimates
84. 2010. UNICEF 2015. Antenatal care coverage - at least one visit with skilled health personnel <http://www.data.unicef.org/maternal-health/antenatal-care>
85. 2010. UNICEF 2015. Antenatal care coverage - at least four visits with skilled health personnel <http://www.data.unicef.org/maternal-health/antenatal-care>
86. 2011. Data not available. National AIDS Commission (2012) UNGASS country progress report 2012. [http://www.unaids.org/sites/default/files/country/documents//ce\\_ID\\_Narrative\\_Report.pdf](http://www.unaids.org/sites/default/files/country/documents//ce_ID_Narrative_Report.pdf)
87. 2014. UNAIDS 2014 estimates
88. 2014. 2014. United Nations, Department of Economic and Social Affairs, Population Division (2014). Model-based Estimates and Projections of Family Planning Indicators 2014. New York: United Nations. [http://www.un.org/en/development/desa/population/publications/dataset/contraception/data/Table\\_Model-based\\_estimates\\_Countries\\_Run20140520.xls](http://www.un.org/en/development/desa/population/publications/dataset/contraception/data/Table_Model-based_estimates_Countries_Run20140520.xls)
89. 2014. UNAIDS 2014 estimates
90. 2014. UNAIDS 2014 estimates
91. 2014. UNAIDS 2014 estimates
92. 2014. UNAIDS 2014 estimates
93. 2014. World Health Organisation Universal Access Indicator 3.4
94. 2010. UNICEF 2015 Skilled attendant at birth <http://www.data.unicef.org/maternal-health/delivery-care>
95. Indicator: Percentage of total demand for family planning among married or in-union women living with HIV aged 15 to 49 that is satisfied with modern methods (modern contraceptive prevalence divided by total demand for family planning)
96. WHO (2007). Global elimination of congenital syphilis: rationale and strategy for action. <http://www.who.int/reproductivehealth/publications/rtis/9789241595858/en/>
97. WHO (2014). Global guidance on criteria and processes for validation: elimination of mother-to-child transmission (EMTCT) of HIV and syphilis. <http://www.who.int/reproductivehealth/publications/rtis/9789241505888/en/>
98. Indicator: Congenital syphilis rate per 100,000 live births. WHO Global Health Observatory data repository. Congenital syphilis. <http://apps.who.int/gho/data/view.main.CONGENITALSYPFSTlv>
99. 2014. WHO Global Health Observatory data repository. Antenatal care (ANC) attendees tested for syphilis at first ANC visit. <http://apps.who.int/gho/data/view.main.23610>
100. 2011. WHO (2013). Baseline report on global sexually transmitted infection surveillance 2012. [http://apps.who.int/iris/bitstream/10665/85376/1/9789241505895\\_eng.pdf](http://apps.who.int/iris/bitstream/10665/85376/1/9789241505895_eng.pdf)
101. Indicator: Percentage of antenatal care attendees positive for syphilis who received treatment. WHO Global Health Observatory data repository. Antenatal care attendees positive for syphilis who received treatment (%). <http://apps.who.int/gho/data/view.main.A1362STlv>
102. Indicator: Median age at first sexual intercourse: Women 20-24
103. 2008-2012. Data refer to most recent year available. UNICEF (2013) Towards An AIDS-Free Generation. Children and AIDS Sixth Stocktaking Report. Statistical Tables. Table 4 Knowledge, HIV testing and sexual behaviour among adolescents <http://www.childrenandaids.org/>
104. Data refer to most recent year available. UNICEF (2013) Towards An AIDS-Free Generation. Children and AIDS Sixth Stocktaking Report. Statistical Tables. Table 4 Knowledge, HIV testing and sexual behaviour among adolescents <http://www.childrenandaids.org/>
105. 2013. Ministère de la Planification, du Développement et de l'Aménagement du Territoire (MPDAT), Ministère de la Santé (MS) et ICF International. 2015. Enquête Démographique et de Santé au Togo 2013-2014. <http://dhsprogram.com/pubs/pdf/FR301/FR301.pdf>
106. 2010. WHO Global Health Observatory Data Repository. Adolescent girls Data by country. <http://apps.who.int/gho/data/view.main.1630AG>
107. Indicator: Percentage of teenage women (age 15-19) who have begun childbearing
108. Indicator: Percent of recent births to mothers <20 that were unplanned
- 108a. 2013-2014. Ministère de la Planification, du Développement et de l'Aménagement du Territoire (MPDAT), Ministère de la Santé (MS) et ICF International, 2015. Enquête Démographique et de Santé au Togo 2013-2014. <http://dhsprogram.com/pubs/pdf/FR301/FR301.pdf>
109. 2013. Unemployment, youth total (% of total labor force ages 15-24) (modeled ILO estimate). <http://data.worldbank.org/indicator/SL.UEM.1524.ZS>
110. 2014. UNAIDS 2014 estimates
111. 2013. UNAIDS 2014 estimates
112. 2008-2012. Data refer to most recent year available. UNICEF (2013) Towards An AIDS-Free Generation. Children and AIDS Sixth Stocktaking Report. Statistical Tables. Table 4 Knowledge, HIV testing and sexual behaviour among adolescents <http://www.childrenandaids.org/>
113. 2014. UNAIDS 2014 estimates
114. 2014. UNAIDS 2014 estimates
115. Indicator: % of women aged 15–19 who have heard of family planning on any of three sources (radio, television or newspaper)
116. 2008-2012. Data refer to most recent year available. UNICEF (2013) Towards An AIDS-Free Generation. Children and AIDS Sixth Stocktaking Report. Statistical Tables. Table 4 Knowledge, HIV testing and sexual behaviour among adolescents <http://www.childrenandaids.org/>
117. Indicator: Percentage of schools that provided life skills-based HIV and sexuality education in the previous academic year.
118. 2014. UNAIDS GARPR
119. 2015. Cartographie des Sites, Estimation de la taille des usagers de drogue injectable et evaluation de leurs besoins. ; CNLS 2014 (Pg 6); [http://cnlstogo.org/download/rapport\\_detudes/Rapport cartographie et estimation de taille UDI Togo\\_26-06-2015.pdf](http://cnlstogo.org/download/rapport_detudes/Rapport cartographie et estimation de taille UDI Togo_26-06-2015.pdf)
120. 2015. Rapport Estimation De La Taille Et Cartographie HSH et PS Togo. [http://cnlstogo.org/download/rapport\\_detudes/Rapport Estimation de la taille et cartographie HSH et PS Togo\\_30\\_06\\_15.pdf](http://cnlstogo.org/download/rapport_detudes/Rapport Estimation de la taille et cartographie HSH et PS Togo_30_06_15.pdf)
121. Indicator: Transgender people population size estimate
122. 2015. Enquête séro-comportementale de deuxième génération chez les homosexuels au Togo en 2015. CNLS. [http://cnlstogo.org/download/rapport\\_detudes/Rapport\\_Etude SSG HSH\\_13 juin 2015\\_30\\_09\\_0K%281%29.pdf](http://cnlstogo.org/download/rapport_detudes/Rapport_Etude SSG HSH_13 juin 2015_30_09_0K%281%29.pdf)
123. 2012. Enquête comportementale et de séroprévalence du VIH chez les utilisateurs de drogues au Togo en 2011. PNL5; 2012
124. 2015. Enquête comportementale et de séroprévalence du VIH chez les professionnelles du sexe et leurs clients au Togo. CNLS, 2015 (pg 67) [http://cnlstogo.org/download/rapport\\_detudes/Rapport\\_Etude SSG\\_PS et clients au Togo\\_2015\\_30\\_09\\_OK%281%29.pdf](http://cnlstogo.org/download/rapport_detudes/Rapport_Etude SSG_PS et clients au Togo_2015_30_09_OK%281%29.pdf)
125. Indicator: Percentage of transgender people who are living with HIV.
126. 2013. UNAIDS GARPR
127. 2014. UNAIDS GARPR
128. 2011. UNAIDS GARPR
129. Indicator: Percentage of transgender people who received an HIV test in the past 12 months and know their results.
130. 2013. UNAIDS GARPR
131. 2011. UNAIDS GARPR
132. 2011. UNAIDS GARPR
133. Indicator: Percentage of transgender people reporting the use of a condom the last time they had sexual intercourse

# Inter-Agency Working Group on SRH and HIV Linkages

The Inter-agency Working Group on Sexual and Reproductive Health (SRH) and HIV Linkages is convened by UNFPA, WHO, and IPPF and works with more than 20 organizations to:

- advocate for political commitment to a linked SRH and HIV agenda;
- support national action to strengthen SRH and HIV linkages at the policy, systems, and service delivery levels; and
- create a shared understanding of SRH and HIV linkages by building the evidence base and sharing research, good practice, and lessons learnt.



## Key achievements since 2004



### To find out more

Visit <http://srhhivlinkages.org> - a collection of SRHR and HIV linkages resources. For a list of current members of the IAWG on SRH and HIV Linkages visit <http://bit.ly/1kzQDWB>

**Disclaimer:** All reasonable precautions have been taken by the publishers to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the IAWG on SRH and HIV Linkages or any organization whose logo appears on this document be liable for damages arising from use of this publication. This publication does not necessarily represent decisions the IAWG on SRH and HIV Linkages or any organization whose logo appears on this document.

